

論文リスト

- **Kodama, T.**, Smail, I., Nakata, F., Okamura, S., Bower, R. G., 2001, ApJ, 562, L9–L13,
“The Transformation of Galaxies within the Large Scale Structure around a $z = 0.41$ Cluster”
- Nakata F., Kajisawa, M., Yamada, T., **Kodama, T.**, Shimasaku, K., Tanaka, I., 2001, PASJ, 53, 1139–1152,
“Galaxy Population in a Cluster of Galaxies around the Radio Galaxy 3C324 at $z = 1.2$ ”
- **Kodama, T.**, Bower, R. G., 2003, MNRAS, 346, 1–12,
“The K_s -band Luminosity and Stellar Mass Functions of Galaxies in $z \sim 1$ Clusters”
- **Kodama, T.**, 31 authors, 2004, MNRAS, 350, 1005–1014,
“Down-Sizing in Galaxy Formation at $z \sim 1$ in the Subaru/XMM-Newton Deep Survey (SXDS)”
- **Kodama, T.**, Balogh, M. L., Smail, I., Bower, R. G., Nakata, F., 2004, MNRAS, 354, 1103–1119,
“A panoramic H α imaging survey of the $z = 0.4$ cluster Cl0024.0+1652 with Subaru”
- Nakata, F., **Kodama, T.**, 12 authors, 2005, MNRAS, 357, 1357–1362,
“Discovery of a Large Scale Structure towards the Lynx Supercluster at $z \sim 1.27$ ”
- **Kodama, T.**, 23 authors, 2005, PASJ, 57, 309–323,
“Panoramic Views of Cluster-Scale Assemblies Explored by Subaru Wide-Field Imaging”
- Tanaka, M., **Kodama, T.**, 6 authors, 2005, MNRAS, 362, 268–288,
“The build-up of the colour-magnitude relation as a function of environment”
- Yamada, T., **Kodama, T.**, 11 authors, 2005, ApJ, 634, 861–878,
“The Number Density of Old Passively Evolving Galaxies at $z = 1$ in the Subaru/XMM-Newton Deep Survey Field”
- Umetsu, K., Tanaka, M., **Kodama, T.**, 4 authors, 2005, PASJ, 57, 877–880,
“Discovery of a Strongly Lensed Galaxy at $z = 3.9$ behind a $z = 0.83$ Galaxy Cluster”
- Tanaka, M., **Kodama, T.**, Arimoto, N., Tanaka, I., 2006, MNRAS, 365, 1392–1404,
“Spectroscopically confirmed large-scale structures associated to a $z=0.83$ cluster”
- Intema, H. T., Venemans, B. P., Kurk, J. D., Ouchi, M., **Kodama, T.**, 3 authors, 2006, A&A, 456, 433–437,
“Large-scale structure of Lyman break galaxies around a radio galaxy protocluster at $z \sim 4$ ”
- Kajisawa, M., **Kodama, T.**, 3 authors, 2006, MNRAS, 371, 577–582,
“Protoclusters with evolved populations around radio galaxies at $z \sim 2.5$ ”
- Tanaka, M., **Kodama, T.**, 6 authors, 2007, MNRAS, 377, 1206–1214,
“A deficit of faint red galaxies in the possible large-scale structures around the RDCS J1252.9–2927 cluster at $z = 1.24$ ”
- **Kodama, T.**, 7 authors, 2007, MNRAS, 377, 1717–1725,
“The first appearance of the red sequence of galaxies in proto-clusters at $2 \lesssim z \lesssim 3$ ”

- Tanaka, M., Hoshi, T., **Kodama, T.**, Kashikawa, N., 2007, MNRAS, 379, 1546–1556,
“A huge filamentary structure at $z = 0.55$ and star formation histories of galaxies at $z < 1$ ”
- Koyama, Y., **Kodama, T.**, 3 authors, 2007, MNRAS, 382, 1719–1728,
“Dependence of the Build-up of the Colour-Magnitude Relation on Cluster Richness at $z \sim 0.8$ ”
- Tanaka, M., Finoguenov, A., **Kodama T.**, 6 authors, 2008, A&A, 489, 571–581,
“The environmental dependence of properties of galaxies around the RDCSJ0910+54 cluster at $z=1.1$ ”
- Koyama, Y., **Kodama, T.**, 9 authors, 2008, MNRAS, 391, 1758–1770,
“Mapping dusty star formation in and around a cluster at $z=0.81$ by wide-field imaging with AKARI”
- Tanaka, M., Finoguenov, A., **Kodama, T.**, Koyama, Y., Maughan, B., Nakata, F., 2009, A&A, 505, L9–L12,
“The spectroscopically confirmed huge cosmic structure at $z=0.55$ ”
- Tanaka, M., Lidman, C., Bower, R. G., Demarco, R., Finoguenov, A., **Kodama, T.**, Nakata, F., Rosati, P., 2009, A&A, 507, 671–682,
“Star formation activities of galaxies in the large-scale structures at $z=1.2$ ”
- Doherty, M., Tanaka, M., De Breuck, C., Ly, C., **Kodama, T.**, 7 authors, 2010, A&A, 509, A83,
“Optical and near-IR spectroscopy of candidate red galaxies in two $z \sim 2.5$ proto-clusters”
- Hayashi, M., **Kodama, T.**, Koyama, Y., Tanaka, I., Shimasaku, K., Okamura, S., 2010, MNRAS, 402, 1980–1990,
“High star formation activity in the central region of a distant cluster at $z=1.46$ ”
- Koyama, Y., **Kodama, T.**, Shimasaku, K., Hayashi, M., Okamura, S., Tanaka, I., Tokoku, C., 2010, MNRAS, 403, 1611–1624,
“Panoramic H α and mid-infrared mapping of star formation in a $z=0.8$ cluster”
- Kuiper, E., 8 authors, **Kodama, T.**, 5 authors, 2010, MNRAS, 405, 969–986,
“A Galaxy populations study of a radio-selected protocluster at $z \sim 3.1$ ”
- Tanaka, I., 3 authors, **Kodama, T.**, 10 authors, 2011, PASJ, 63, 415–435,
“Discovery of an Excess of H α Emitters around 4C 23.56 at $z=2.4$ ”
- Tadaki, K., **Kodama, T.**, Koyama, Y., Hayashi, M., Tanaka, I., Tokoku, C., 2011, PASJ, 63, 437–446,
“Cosmic Star-Formation Activity at $z=2.2$ Probed by H α Emission-Line Galaxies”
- Koyama, Y., **Kodama, T.**, Nakata, F., Shimasaku, K., Okamura, S., 2011, ApJ, 734, 66
“Red Star-forming Galaxies and Their Environment at $z=0.4$ Revealed by Panoramic H α Imaging”
- Hayashi, M., **Kodama, T.**, Koyama, Y., Tadaki, K., Tanaka, I., 2011, MNRAS, 415, 2670–2687,
“Properties of star-forming galaxies in a cluster and its surrounding structure at $z=1.46$ ”

- Matsuda, Y., 13 authors, **Kodama, T.**, 3 authors, 2011, MNRAS, 416, 2041–2059,
“An H α search for overdense regions at $z=2.23$ ”
- Tadaki, K., **Kodama, T.**, Ota, K., Hayashi, M., Koyama, Y., Papovich, C., Brodwin, M., Tanaka, M., Iye, M., 2012, MNRAS, 423, 2617
“A large-scale structure traced by [OII] emitters hosting a distant cluster at $z=1.62$ ”
- Hayashi, M., **Kodama, T.**, Tadaki, K., Koyama, Y., Tanaka I., 2012, ApJ, 757, 15,
“A Starbursting Proto-cluster in Making Associated with a Radio Galaxy at $z=2.53$ Discovered by H α Imaging”
- Koyama, Y., **Kodama, T.**, Tadaki, K., Hayashi, M., Tanaka, M., Smail, I., Tanaka, I., Kurk, J., 2013, MNRAS, 428, 1551,
“Massive starburst galaxies in a $z=2.16$ proto-cluster unveiled by panoramic H α mapping”
- Hayashi, M., Sobral, D., Best, P. N., Smail, I., **Kodama, T.**, 2013, MNRAS, 430, 1042,
“Calibrating [O II] star formation rates at $z < 1$ from dual H α -[OII] imaging from HiZELS”
- Tanaka, M., 4 authors, **Kodama, T.**, 3 authors, 2013, ApJ, 772, 113,
“On the Formation Timescale of Massive Cluster Ellipticals Based on Deep Near-infrared Spectroscopy at $z \sim 2$ ”
- Koyama, Y., 4 authors, **Kodama, T.**, 5 authors, 2013, MNRAS, 434, 423,
“On the evolution and environmental dependence of the star formation rate versus stellar mass relation since $z \sim 2$ ”
- Tadaki, K., **Kodama, T.**, Tanaka, I., Hayashi, M., Koyama, Y., 2013, ApJ, 778, 114,
“Nature of H α selected galaxies at $z > 2$. I. Main sequence and dusty star-forming galaxies”
- Tadaki, K., **Kodama, T.**, Tanaka, I., Hayashi, M., Koyama, Y., Shimakawa, R., 2014, ApJ, 780, 77,
“The Nature of H α selected galaxies at $z > 2$. II. Clumpy galaxies and compact star-forming galaxies”
- Smail, I., 18 authors, **Kodama, T.**, 6 authors, 2014, ApJ, 782, 19,
“The SCUBA-2 Cosmology Legacy Survey: Ultraluminous Star-forming Galaxies in a $z=1.6$ Cluster”
- Santos, J. S., 6 authors, **Kodama, T.**, 2 authors, 2014, MNRAS, 438, 2565,
“Star formation in the cluster CLG0218.3–0510 at $z=1.62$ and its large-scale environment: the infrared perspective”
- Hayashi, M., **Kodama, T.**, 8 authors, 2014, MNRAS, 439, 2571,
“Mapping the large scale structure around a $z=1.46$ galaxy cluster in 3-D using two adjacent narrow-band filters”
- Shimakawa, R., **Kodama, T.**, Tadaki, K., Tanaka, I., Hayashi, M., Koyama, Y., 2014, MNRAS, 441, L1,
“Identification of the progenitors of rich clusters and member galaxies in rapid formation at $z > 2$ ”

- Koyama, Y., **Kodama, T.**, Tadaki, K., Hayashi, M., Tanaka, I., Shimakawa, R., 2014, ApJ, 789, 18,
“The environmental impacts on the star formation main sequence: an H-alpha study of the newly discovered rich cluster at $z=1.52$ ”
- Tadaki, K., **Kodama, T.**, 8 authors, 2014, ApJ, 788, L23,
“Evidence for a gas-rich merger in a proto-cluster at $z=2.5$ ”
- Dannerbauer, H., 11 authors, **Kodama, T.**, 6 authors, A&A, 570, A55,
“An excess of dusty starbursts related to the Spiderweb galaxy”
- Yagi, M., Gu, L., Koyama, Y., Nakata, F., **Kodama, T.**, Hattori, T., Yoshida, M., 2015, AJ, 149, 36
“Discovery of Nine Extended Ionized Gas Clouds in a $z=0.4$ Cluster”
- Shimakawa, R., **Kodama, T.**, Tadaki, K., Hayashi, M., Koyama, Y., Tanaka, I., 2015, MNRAS, 448, 666,
“An early phase of environmental effects on galaxy properties unveiled by near-infrared spectroscopy of protocluster galaxies at $z > 2$ ”
- Ma, C.-J., 9 authors, **Kodama, T.**, 2015, ApJ, 806, 257,
Dusty starbursts and the formation of elliptical galaxies: A SCUBA-2 survey of a $z=1.46$ cluster
- Shimakawa, R., **Kodama, T.**, Steidel, C. C., Tadaki, K., Tanaka, I., Strom, A. L., Hayashi, M., Koyama, Y., Suzuki, T. L., Yamamoto, M., 2015, MNRAS, 451, 1284–1289,
“Correlation between star formation activity and electron density of ionized gas at $z = 2.5$ ”
- Suzuki, L. T., **Kodama, T.**, Tadaki, K., Hayashi, M., Koyama, Y., Tanaka, I., Minowa, Y., Shimakawa, R., Yamamoto, M., 2015, ApJ, 806, 208,
“Galaxy formation at $z > 3$ revealed by narrow-band selected [OIII] Emission Line Galaxies”
- Murata, K., Koyama, Y., Tanaka, M., Matsuhara, H., **Kodama, T.**, 2015, A&A, accepted,
“Environmental dependence of polycyclic aromatic hydrocarbon emission at $z \sim 0.8$. Investigation by observing the RX J0152.7-1357 with AKARI”
- Tadaki, K., Kohno, K., **Kodama, T.**, 23 authors, 2015, ApJ, 811, L3,
“SXDF-ALMA 1.5 arcmin² deep survey. A compact dusty star-forming galaxy at $z = 2.5$ ”
- Koyama, Y., **Kodama, T.**, Hayashi, M., 8 authors, 2015, MNRAS, 453, 879–892,
“Predicting dust extinction properties of star-forming galaxies from H-alpha/UV ratio”
- Sobral, D., 5 authors, **Kodama, T.**, 1 author, 2016, MNRAS, 458, 3443–3454,
“The nature of H α star-forming galaxies at $z \sim 0.4$ in and around Cl 0939+4713: the environment matters”
- Suzuki, T. L., **Kodama, T.**, 11 authors, 2016, MNRAS, 462, 181,
 “[OIII] emission line as a tracer of star-forming galaxies at high redshifts: Comparison between H α and [OIII] emitters at $z=2.23$ in HiZELS”

- Hayashi, M., **Kodama, T.**, Tanaka, I., Shimakawa, R., Koyama, Y., Tadaki, K., Suzuki, T. L., Yamamoto, M., 2016, ApJ, 826, L28,
“Enhanced Star Formation of Less Massive Galaxies in a Proto-Cluster at $z=2.5$ ”
- Tadaki, K., Genzel, R., **Kodama, T.**, 24 authors, 2017, ApJ, 834, 135,
“Bulge-forming galaxies with an extended rotating disk at $z \sim 2$ ”
- Hayashi, M., **Kodama, T.**, et al., 2017, ApJ, 841, L21,
“Evolutionary Phases of Gas-rich Galaxies in a Galaxy Cluster at $z = 1.46$ ”
- Tadaki, K., **Kodama, T.**, et al., 2017, ApJ, 841, L25,
“Rotating Starburst Cores in Massive Galaxies at $z = 2.5$ ”
- Lee, M., Tanaka, I., Kawabe, R., Kohno, K., **Kodama, T.**, et al., 2017, ApJ, 842, 55,
“A radio-to-mm census of star-forming galaxies in protocluster 4C23.56 at $z=2.5$: gas mass and its fraction revealed with ALMA”
- Shimakawa, R., **Kodama, T.**, et al., 2017, MNRAS, 468, 1123,
“Similarities and uniqueness of Ly α emitters among star-forming galaxies at $z=2.5$ ”
- Shimakawa, R., **Kodama, T.**, et al., 2017, MNRAS, 468, L21,
“Direct evidence for Ly-alpha depletion in the protocluster core”
- Koyama, S., 6 authors, **Kodama, T.**, 5 authors, 2017, ApJ, 847, 137,
“A Universal Correlation between Star Formation Activity and Molecular Gas Properties Across Environments”
- Suzuki, T. L., **Kodama, T.**, et al., 2017, ApJ, 849, 39,
“The interstellar medium in [OIII]-selected star-forming galaxies at $z \sim 3.2$ ”
- Dannerbauer, H., 6 authors, **Kodama, T.**, 13 authors, 2017, A&A, 608, 48,
“The implications of the surprising existence of a large, massive CO disk in a distant protocluster”
- Lin, Y.-T., 7 authors, **Kodama, T.**, 6 authors, 2017, ApJ, 851, L139,
“First Results on the Cluster Galaxy Population from the Subaru Hyper Suprime-Cam Survey. III. Brightest Cluster Galaxies, Stellar Mass Distribution, and Active Galaxies”
- Shimakawa, R., **Kodama, T.**, et al., 2018, MNRAS, 473, 1977,
“MAHALO Deep Cluster Survey I. Accelerated and enhanced galaxy formation in the densest regions of a protocluster at $z=2.5$ ”
- Hayashi, M., 6 authors, **Kodama, T.**, 10 authors, 2018, PASJ, 70, 17,
“A 16 deg 2 survey of emission-line galaxies at $z < 1.5$ in HSC-SSP Public Data Release 1”
- Koyama, Y., 2 authors, **Kodama, T.**, 12 authors, 2018, PASJ, 70, 21,
“The nature of H α -selected galaxies along the large-scale structure at $z = 0.4$ revealed by Subaru Hyper Suprime-Cam survey”
- Hayashi, M., Tadaki, K., **Kodama, T.**, 7 authors, 2018, ApJ, 856, 118,
“Molecular Gas Reservoirs in Cluster Galaxies at $z=1.46$ ”

- Wang, T., Elbaz, D., Daddi, E., Liu, D., **Kodama, T.**, 11 authors, 2018, ApJ, 867, L29,
"Revealing the Environmental Dependence of Molecular Gas Content in a Distant X-Ray Cluster at $z = 2.51$ "
- Shimakawa, R., Koyama, Y., Röttgering, H. J. A., **Kodama, T.**, 2018, MNRAS, 481, 5630,
"MAHALO Deep Cluster Survey II. Characterizing massive forming galaxies in the Spiderweb protocluster at $z= 2.2$ "
- Koyama, Y., Shimakawa, R., Yamamura, I., **Kodama, T.**, Hayashi, M., 2019, PASJ, 71, 8,
"On the different levels of dust attenuation to nebular and stellar light in star-forming galaxies"
- Macuga, M., Martini, P., Miller, E. D., Brodwin, M., Hayashi, M., **Kodama, T.**, 5 authors, 2019, ApJ, 874, 54,
"The Fraction of Active Galactic Nuclei in the USS 1558-003 Protocluster at $z = 2.53$ "
- Koyama, S., 8 authors, **Kodama, T.**, 4 authors, 2019, ApJ, 874, 142,
"Do Galaxy Morphologies Really Affect the Efficiency of Star Formation During the Phase of Galaxy Transition?"
- Tadaki, K., **Kodama, T.**, 13 authors, 2019, PASJ, 71, 40,
"Environmental impacts on molecular gas in protocluster galaxies at $z \sim 2$ "
- Maier, C.;, Hayashi, M., Ziegler, B. L., **Kodama, T.**, 2019, A&A, 626, 14,
"Cluster induced quenching of galaxies in the massive cluster XMMXCS J2215.9–1738 at $z \sim 1.5$ traced by enhanced metallicities inside half R200"
- Namiki, S. V., 6 authors, **Kodama, T.**, 4 authors, 2019, ApJ, 877, 118,
"A Spectroscopic Study of a Rich Cluster at $z = 1.52$ with Subaru and LBT: The Environmental Impacts on the Mass-Metallicity Relation"
- Yamaguchi, Y., 12 authors, **Kodama, T.**, 10 authors, 2019, ApJ, 878, 73,
"ALMA 26 arcmin² Survey of GOODS-S at 1 mm (ASAGAO): Near-infrared-dark Faint ALMA Sources"
- Suzuki, T. L., Minowa, Y., Koyama, Y., **Kodama, T.**, 4 authors, 2019, PASJ, 71, 69,
"Extended star-forming regions within galaxies in a dense proto-cluster core at $z=2.53$ "
- Lee, M. M., 6 authors, **Kodama, T.**, 7 authors, 2019, ApJ, 883, 92,
"A Radio-to-millimeter Census of Star-forming Galaxies in Protocluster 4C23.56 at $z=2.5$: Global and Local Gas Kinematics"
- Kubo, M., 8 authors, **Kodama, T.**, 4 authors, 2019, ApJ, 887, 214,
"Planck Far-infrared Detection of Hyper Suprime-Cam Protoclusters at $z \sim 4$: Hidden AGN and Star Formation Activity"
- Hayashi, M., Koyama, Y., **Kodama, T.**, 8 authors, 2019, PASJ, 71, 112,
"The whole picture of the large-scale structure of the CL1604 supercluster at $z \sim 0.9$ "
- Böhm, A., 2 authors, **Kodama, T.**, 4 authors, 2020, A&A, 633, 131,
"Kinematics of disk galaxies in (proto-)clusters at $z=1.5$ "

- Jian, H.-Y., 9 authors, **Kodama, T.**, 2 authors, 2020, ApJ, 894, 125,
"Redshift Evolution of Green Valley Galaxies in Different Environments from the Hyper Suprime-Cam Survey"
- Gu, L., 5 authors, **Kodama, T.**, 2 authors, 2020, A&A, 638, A138,
"Implications of the mild gas motion found with Hitomi in the core of the Perseus cluster"
- Asano, T., **Kodama, T.**, 18 authors, 2020, ApJ, 899, 64,
"Environmental Impact on Star-forming Galaxies in a $z \sim 0.9$ Cluster during the Course of Galaxy Accretion"
- Yamaguchi, Y., 11 authors, **Kodama, T.**, 9 authors, 2020, PASJ, 72, 69,
"ALMA twenty-six arcmin² survey of GOODS-S at one millimeter (ASAGAO): Millimeter properties of stellar mass selected galaxies"
- Tadaki, K., 7 authors, **Kodama, T.**, 12 authors, 2020, ApJ, 901, 74,
"Structural Evolution in Massive Galaxies at $z \sim 2$ "
- Onodera, M., 5 authors, **Kodama, T.**, 3 authors, 2020, ApJ, 904, 180,
"Broadband Selection, Spectroscopic Identification, and Physical Properties of a Population of Extreme Emission-line Galaxies at $3 < z < 3.7$ "
- Inoue, A. K., 26 authors, **Kodama, T.**, 3 authors, 2020, PASJ, 72, 101,
"CHORUS. I. Cosmic HydrOgen Reionization Unveiled with Subaru: Overview"
- Suzuki, T. L., Onodera, M., **Kodama, T.**, 8 authors, 2021, ApJ, 908, 15,
"Dust, Gas, and Metal Content in Star-forming Galaxies at $z \sim 3.3$ Revealed with ALMA and Near-IR Spectroscopy"
- Lee, M. M., 3 authors, **Kodama, T.**, 3 authors, 2021, ApJ, 909, 181,
"Revisited Cold Gas Content with Atomic Carbon [CI] in $z=2.5$ Protocluster Galaxies"
- Shimakawa, R., 8 authors, **Kodama, T.**, 1 author, 2021, MNRAS, 503, 3896,
"Subaru Hyper Suprime-Cam excavates colossal over- and underdense structures over 360 deg² out to $z=1$ "
- Koyama, Y, 2 author, **Kodama, T.**, 5 authors, 2021, MNRAS, 503, L1,
"A Planck-selected dusty proto-cluster at $z = 2.16$ associated with a strong overdensity of massive H α -emitting galaxies"
- Morokuma-Matsui, K., **Kodama, T.**, 6 authors, 2021, ApJ, 914, 145,
"A Phase-space View of Cold-gas Properties of Virgo Cluster Galaxies: Multiple Quenching Processes at Work?"
- Jin, S., 17 authors, **Kodama, T.**, 9 authors, 2021, A&A, 652, 11,
"COALAS. I. ATCA CO(1-0) survey and luminosity function in the Spiderweb protocluster at $z=2.16$ "
- Aoyama, K., **Kodama, T.**, 6 authors, 2022, ApJ, 924, 74 "The Environmental Dependence of Gas Properties in Dense Cores of a Protocluster at $z=2.5$ Revealed with ALMA"

- Yajima, H., 4 authors, **Kodama, T.**, 11 authors, 2022, MNRAS, 509, 407,
"FOREVER22: galaxy formation in protocluster regions"
- Jian, H.-Y., 9 authors, **Kodama, T.**, 5 authors, 2022, ApJ, 926, 115,
"Star Formation Properties of Sloan Digital Sky Survey BOSS Void Galaxies in the Hyper Suprime-Cam Survey"
- Misato, R., 3 authors, **Kodama, T.**, 3 authors, 2022, PASJ, 74, 398,
"Do blue galaxy-clusters have hot intracluster gas?"
- Aihara, H., 13 authors, **Kodama, T.**, et al., 2022, PASJ, 74, 247–272,
"Third data release of the Hyper Suprime-Cam Subaru Strategic Program"
- Ikeda, R., 2 authors, **Kodama, T.**, 10 authors, 2022, ApJ, 933, 11,
"High-resolution ALMA Study of CO J = 2–1 Line and Dust Continuum Emissions in Cluster Galaxies at $z = 1.46$ "
- Suzuki, T., L., 2 authors, **Kodama, T.**, 9 authors, 2022, ApJ, 936, 61,
"Low Star Formation Activity and Low Gas Content of Quiescent Galaxies at $z = 3.5\text{--}4.0$ Constrained with ALMA"
- Mao, Z., **Kodama, T.**, 4 authors, 2022, A&A, 666, 141,
"Revealing impacts of stellar mass and environment on galaxy quenching"
- Morokuma-Matsui, K., 10 authors, **Kodama, T.**, 9 authors, 2022, ApJS, 263, 40,
"CO(J=1–0) mapping survey of 64 galaxies in the Fornax cluster with the ALMA Morita array"
- Liu, D., 11 authors, **Kodama, T.**, 9 authors, 2023, ApJ, 942, 98,
"An 600 pc View of the Strongly Lensed, Massive Main-sequence Galaxy J0901: A Baryon-dominated, Thick Turbulent Rotating Disk with a Clumpy Cold Gas Ring at $z = 2.259$ "
- Pérez-Martínez, J. M., Dannerbauer, H., **Kodama, T.**, 10 authors, 2023, MNRAS, 518, 1707,
"Signs of environmental effects on star-forming galaxies in the Spiderweb protocluster at $z=2.16$ "
- Liu, Z., Morishita, T., **Kodama, T.**, 2023, ApJ, 955, 29,
"A Multiwavelength Investigation of Dust and Stellar Mass Distributions in Galaxies: Insights from High-resolution JWST Imaging"
- Tadaki, K., **Kodama, T.**, Koyama, Y., Suzuki, T., Mitsuhashi, I., Ikeda, R., 2023, ApJ, 957, 15,
"Spatial Extent of Molecular Gas, Dust, and Stars in Massive Galaxies at $z=2.2\text{--}2.5$ Determined with ALMA and JWST"
- Naufal, A., Koyama, Y., Shimakawa, R., **Kodama, T.**, 2023, ApJ, 958, 170,
"Environmental Impacts on the Rest-frame UV Size and Morphology of Star-forming Galaxies at $z\sim2$ "
- Toshikawa, J., 10 authors, **Kodama, T.**, 2 authors, 2024, MNRAS, 527, 6276,
"An enhanced abundance of bright galaxies in protocluster candidates at $z=3\text{--}5$ "